

Контейнеры GN, GNP, AS, GNC, GNK, GNL, GNO, GNT, GNX

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: rav@nt-rt.ru || сайт: <https://ronda.nt-rt.ru/>

Abbiamo scelto di ridurre il nostro impatto ambientale.

Abbiamo scelto di produrre solamente contenitori gastronorm che non richiedono fasi di ricottura e di decapaggio perché estremamente energivora, la prima, potenzialmente inquinante, la seconda. Gli acciai utilizzati sono di origine europea.

We chose to be eco-friendly.

We decided to manufacture only GastroNorm containers that don't require annealing treatment and pickling processes which are energy-intensive and potentially polluting. We work stainless steel made in EU.



Versatile e modulare, la Serie GN conferma la nostra attenzione a realizzare anche componenti di ampio utilizzo, che si adattino tanto alle cucine domestiche, quanto alle strutture della ristorazione professionale. Nessun limite di impiego: caldo o freddo, scaffalature o strutture di stoccaggio, i nostri contenitori si dimostrano adeguati a qualsiasi necessità. I prodotti della Serie GN sono costruiti in acciaio Inox 18/10 AISI 304 idoneo al contatto con gli alimenti secondo la direttiva UE n. 1935/2004 e D.M. 21 marzo 1973.

Versatile and modular, the GN Series is further proof of our focus on producing elements for a wide range of uses, suitable not only for home kitchens but also for professional catering establishments. No limit to use: hot or cold, shelving or pantry structures, our storage solutions are perfect for any need. Products in the GN Series are made in 18/10 AISI 304 stainless steel, suitable for contact with food stuffs in compliance with EEU directive n. 1935/2004 and D.M. 21/3/1973.




Sistema Gastronorm per la ristorazione professionale

Gastronorm system
for professional catering

I prodotti di questa linea sono conformi al sistema modulare dimensionale stabilito dalla norma EN 631. Il contenitore di base è pari ad una unità gastronorm (gn 1/1) che ha dimensioni esterne di 530 x 325 mm.

The products of this range comply with the modular dimensional system established by the EN 631 regulation. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm.



TOLLERANZE DIMENSIONALI PREVISTE DALLA NORMA UNI EN 631

0/-2 mm	per le dimensioni A e B
0/-3 mm	per la dimensione H fino a 65 mm compresi
0/-5 mm	per la dimensione H oltre 65 mm

DIMENSIONAL ALLOWANCES LAID DOWN BY THE STANDARD UNI EN 631

0/-2 mm	for dimensions A and B
0/-3 mm	for dimension H up to and including 65 mm
0/-5 mm	for dimension H greater than 65 mm

 **2/1**
650x530mm



 **1/1**
530x325mm



 **1/2**
325x265mm

 **1/4**
265x162mm



 **1/6**
176x162mm



 **2/3**
354x325mm

 **1/3**
325x176mm




 **2/4**
530x162mm






GN2106



	Profondità Depth	Articolo Item	Dim. esterne External size		Dim. interne Internal size		Capacità Capacity	Box
	h		a	b	c	d	l.	
2/1 650x530	20	GN2102	650	530	625	505	6,5	5
	40	GN2104	650	530	625	505	12,0	5
	65	GN2106	650	530	625	505	19,5	5
	100	GN2110	650	530	625	505	30,0	5
1/1 530x325	20	GN1102	530	325	505	300	2,5	10
	40	GN1104	530	325	505	300	5,5	10
	65	GN1106	530	325	505	300	9,0	10
	100	GN1110	530	325	505	300	14,0	10
2/3 354x325	20	GN2302	354	325	329	300	1,8	10
	40	GN2304	354	325	329	300	3,5	10
	65	GN2306	354	325	329	300	5,5	10
	100	GN2310	354	325	329	300	9,0	10

Misure espresse in mm / Measurements in mm


**GN2406**



	Profondità Depth	Articolo Item	Dim. esterne External size		Dim. interne Internal size		Capacità Capacity	Box
	h		a	b	c	d	l.	
1/2 325x265	20	GN1202	325	265	300	240	1,2	20
	40	GN1204	325	265	300	240	2,5	10
	65	GN1206	325	265	300	240	4,0	10
	100	GN1210	325	265	300	240	6,5	10
2/4 530x162	20	GN2402	530	162	505	137	1,1	20
	40	GN2404	530	162	505	137	2,4	10
	65	GN2406	530	162	505	137	4,0	10
1/3 325x176	20	GN1302	325	176	300	151	0,7	20
	40	GN1304	325	176	300	151	1,5	20
	65	GN1306	325	176	300	151	2,5	10
	100	GN1310	325	176	300	151	4,0	10

Misure espresse in mm / Measurements in mm

**GN1410**



	Profondità Depth	Articolo Item	Dim. esterne External size		Dim. interne Internal size		Capacità Capacity	Box
	h		a	b	c	d	l.	
1/4 265x162	20	GN1402	265	162	240	137	0,5	20
	40	GN1404	265	162	240	137	1,0	20
	65	GN1406	265	162	240	137	1,8	10
	100	GN1410	265	162	240	137	2,8	10
1/6 176x162	65	GN1606	176	162	151	137	1,0	20

Misure espresse in mm / Measurements in mm


GNP

TEGLIE CON BORDO PIATTO PER FORNI A CONVEZIONE

Pans with flat flange for convection ovens



GNP2106




	Profondità Depth	Articolo Item	Dim. esterne External size		Dim. interne Internal size		Capacità Capacity	Box
	h		a	b	c	d	l.	
2/1 650x530	20	GNP2102	650	530	625	505	6,5	5
	40	GNP2104	650	530	625	505	12,0	5
	65	GNR2106	650	530	625	505	19,5	5
1/1 530x325	20	GNP1102	530	325	505	300	2,5	10
	40	GNP1104	530	325	505	300	5,5	10
	65	GNP1106	530	325	505	300	9,0	10
2/3 354x325	20	GNP2302	354	325	329	300	1,8	10
	40	GNP2304	354	325	329	300	3,5	10
	65	GNP2306	354	325	329	300	5,5	10
1/2 325x265	20	GNP1202	325	265	300	240	1,2	20
	40	GNP1204	325	265	300	240	2,5	20
	65	GNP1206	325	265	300	240	4,0	10

Misure espresse in mm / Measurements in mm



ASTINE DI SEPARAZIONE E SUPPORTO

Support bars



AS53/AS32

	Articolo Item	Dim. esterne External size	
		a	b
1/1 530x325	AS53	22	530
1/2 325x265	AS32	22	325

Misure espresse in mm / Measurements in mm

GNC

COPERCHI PER CONTENITORI

Lids for containers



GNC12

	Articolo Item	Dim. esterne External size		Box
		a	b	
1/1 530x325	GNC11	530	325	10
2/3 354x325	GNC23	354	325	10
1/2 325x265	GNC12	325	265	10
2/4 530x162	GNC24	530	162	20
1/3 325x176	GNC13	325	176	20
1/4 265x162	GNC14	265	162	20
1/6 176x162	GNC16	176	162	20

Misure espresse in mm / Measurements in mm

GNT

COPERCHI CON GUARNIZIONE DI TENUTA ERMETICA

Spillproof lids with silicone seal



GNT12



**1. Guarnizione al silicone
per uso alimentare
(temperatura max 160°C)**
Silicone seal for food
contact (t - max 160°C)

2. Foro di compensazione
Decompression hole

	Articolo Item	Dim. esterne External size		Box
		a	b	
1/1 530x325	GNT11	530	325	10
2/3 354x325	GNT23	354	325	10
1/2 325x265	GNT12	325	265	10
1/3 325x176	GNT13	325	176	20
1/4 265x162	GNT14	265	162	20
1/6 176x162	GNT16	176	162	20


Misure espresse in mm / Measurements in mm

GN2106

containers



	Depth	Item	External size		Internal size		Capacity	Box
	h		a	b	c	d	l.	
2/1	20	GN2102	650	530	625	505	6,5	5
2/1	40	GN2104	650	530	625	505	12,0	5
2/1	65	GN2106	650	530	625	505	19,5	5
2/1	100	GN2110	650	530	625	505	30,0	5
2/1	200	GN2120	650	530	625	505	58,5	5
1/1	20	GN1102	530	325	505	300	2,5	10
1/1	40	GN1104	530	325	505	300	5,5	10
1/1	65	GN1106	530	325	505	300	9,0	10
1/1	100	GN1110	530	325	505	300	14,0	10
2/3	20	GN2302	354	325	329	300	1,8	10
2/3	40	GN2304	354	325	329	300	3,5	10
2/3	65	GN2306	354	325	329	300	5,5	10
2/3	100	GN2310	354	325	329	300	9,0	10



Legend



2/1
650x530mm



1/1
325x530mm



1/2
325x265mm



1/4
265x162mm



2/8
325x132mm



1/6
176x162mm



1/9

176x108mm



2/3

354x325mm



1/3

325x176mm



2/4

530x162mm


The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.

GN1215

containers



	Depth	Item	External size		Internal size		Capacity	Box
	h		a	b	c	d	l.	
1/2	20	GN1202	325	265	300	240	1,2	20
1/2	40	GN1204	325	265	300	240	2,5	20
1/2	65	GN1206	325	265	300	240	4,0	10
1/2	100	GN1210	325	265	300	240	6,5	10
2/4	20	GN2402	530	162	505	137	1,1	20
2/4	40	GN2404	530	162	505	137	2,4	10
2/4	65	GN2406	530	162	505	137	4,0	10
1/3	20	GN1302	325	176	300	151	0,7	20
1/3	40	GN1304	325	176	300	151	1,5	20
1/3	65	GN1306	325	176	300	151	2,5	10
1/3	100	GN1310	325	176	300	151	4,0	10



Legend



2/1

650x530mm



1/1

325x530mm



1/2

325x265mm



1/4

265x162mm



2/8

325x132mm



1/6

176x162mm



1/9

176x108mm



2/3

354x325mm



1/3

325x176mm



2/4

530x162mm


The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.

GN2810

containers



	Depth	Item	External size		Internal size		Capacity	Box
	h		a	b	c	d	l.	
1/4	20	GN1402	265	162	240	137	0,5	20
1/4	40	GN1404	265	162	240	137	1,0	20
1/4	65	GN1406	265	162	240	137	1,8	10
1/4	100	GN1410	265	162	240	137	2,8	10
2/8	65	GN2806	325	132	300	107	1,5	10
2/8	100	GN2810	325	132	300	107	2,7	10
1/6	65	GN1606	176	162	151	137	1,0	20
1/6	100	GN1610	176	162	151	137	1,6	20



Legend



2/1
650x530mm



1/1
325x530mm



1/2
325x265mm



1/4
265x162mm



2/8
325x132mm



1/6
176x162mm



1/9
176x108mm



2/3
354x325mm



1/3
325x176mm



2/4
530x162mm


The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.

GNP2106

pans with flat flange for convection ovens



	Depth	Item	External size		Internal size		Capacity	Box
	h		a	b	c	d	l.	
2/1	20	GNP2102	650	530	625	505	6,5	5
2/1	40	GNP2104	650	530	625	505	12,0	5
2/1	65	GNP2106	650	530	625	505	19,5	5
1/1	20	GNP1102	530	325	505	300	2,5	10
1/1	40	GNP1104	530	325	505	300	5,5	10
1/1	65	GNP1106	530	325	505	300	9,0	10
2/3	20	GNP2302	354	325	329	300	1,8	10
2/3	40	GNP2304	354	325	329	300	3,5	10
2/3	65	GNP2306	354	325	329	300	5,5	10
1/2	20	GNP1202	325	265	300	240	1,2	20
1/2	40	GNP1204	325	265	300	240	2,5	20
1/2	65	GNP1206	325	265	300	240	4,0	10



Legend



2/1
650x530mm



1/1
325X530mm



1/2
325x265mm



1/4
265x162mm



2/8
325x132mm



1/6
176x162mm



1/9

176x108mm



2/3

354x325mm



1/3

325x176mm



2/4

530x162mm

The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.

GNC12

lids for containers



	Item	External size		Box
		a	b	
1/1	GNC11	530	325	10
2/3	GNC23	354	325	10
1/2	GNC12	325	265	10
2/4	GNC24	530	162	20
1/3	GNC13	325	176	20
1/4	GNC14	265	162	20
2/8	GNC28	325	132	20
1/6	GNC16	176	162	20

geometrie GNC12

Legend



2/1

650x530mm



1/1

325x530mm



1/2

325x265mm



1/4

265x162mm



2/8

325x132mm



1/6

176x162mm



1/9

176x108mm



2/3

354x325mm



1/3

325x176mm



2/4

530x162mm


The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.

GNK12

lids notched for handles



Item		External size		Box
		a	b	
1/1	GNK11	530	325	10
2/3	GNK23	354	325	10
1/2	GNK12	325	265	10
2/4	GNK24	530	162	20
1/3	GNK13	325	176	20
1/4	GNK14	265	162	20
2/8	GNK28	325	132	20
1/6	GNK16	176	162	20



Legend



2/1
650x530mm



1/1
325x530mm



1/2
325x265mm



1/4
265x162mm



2/8
325x132mm



1/6
176x162mm



1/9
176x108mm



2/3
354x325mm



1/3
325x176mm



2/4
530x162mm


The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.

GNL12

lids notched for ladles



	Item	External size		Box
		a	b	
1/1	GNL11	530	325	10
2/3	GNL23	354	325	10
1/2	GNL12	325	265	10
2/4	GNL24	530	162	20
1/3	GNL13	325	176	20
1/4	GNL14	265	162	20
2/8	GNL28	325	132	20
1/6	GNL16	176	162	20



Legend



2/1
650x530mm



1/1
325x530mm



1/2
325x265mm



1/4
265x162mm



2/8
325x132mm



1/6
176x162mm



1/9
176x108mm



2/3
354x325mm



1/3
325x176mm



2/4
530x162mm


The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.

GN012

lids notched for handles and ladles



	Item	External size		Box	
			a	b	
1/1	GN011	530	325	10	
2/3	GN023	354	325	10	
1/2	GN012	325	265	10	
2/4	GN024	530	162	20	
1/3	GN013	325	176	20	
1/4	GN014	265	162	20	
2/8	GN028	325	132	20	
1/6	GN016	176	162	20	



Legend



2/1
650x530mm



1/1
325x530mm



1/2
325x265mm



1/4
265x162mm



2/8
325x132mm



1/6
176x162mm



1/9
176x108mm



2/3
354x325mm



1/3
325x176mm



2/4
530x162mm

The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.

GNT12

spillproof lids with silicone seal

silicone seal for catering purposes (t - max 160°C)



	Item	External size		Box
		a	b	
1/1	GNT11	530	325	10
2/3	GNT23	354	325	10
1/2	GNT12	325	265	10
1/3	GNT13	325	176	20
1/4	GNT14	265	162	20
1/6	GNT16	176	162	20

geometrie GNT12

Legend



2/1
650x530mm



1/1
325x530mm



1/2
325x265mm



1/4
265x162mm



2/8
325x132mm



1/6
176x162mm



1/9
176x108mm



2/3
354x325mm



1/3
325x176mm



2/4
530x162mm

The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.

GNX12

spillproof lids with silicone seal and with handle notch

silicone seal for catering purposes (t - max 160°C)



	Item	External size		Box
		a	b	
1/1	GNX11	530	325	10
2/3	GNX23	354	325	10
1/2	GNX12	325	265	10
1/3	GNX13	325	176	20
1/4	GNX14	265	162	20
1/6	GNX16	176	162	20

geometrie GNX12

Legend



2/1
650x530mm



1/1
325x530mm



1/2
325x265mm



1/4
265x162mm



2/8
325x132mm



1/6
176x162mm



1/9
176x108mm



2/3
354x325mm



1/3
325x176mm



2/4
530x162mm

The products of range 2 comply with the modular dimensional system established by the en 631 regulation, which requires containers to be 20, 40, 65, 100, 150 e 200 mm deep. The basic container is equivalent to a gastronorm unit (gn 1/1), which has external dimensions of 530 x 325 mm. But is also available in larger and smaller sizes of 2/3, 1/2, 2/4, 1/3, 1/4, 2/8, 1/6, 1/9 respectively.



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: rav@nt-rt.ru || сайт: <https://ronda.nt-rt.ru/>